

CENTRE FOR SUSTAINABLE ENERGY TECHNOLOGIES (CSET)

- [1] Zhou J, Ma X, Zhao X, Yuan Y, Yu M, Li J. Numerical simulation and experimental validation of a micro-channel PV/T modules based direct-expansion solar heat pump system. *Renew Energy* 2020;145:1992–2004. doi:<https://doi.org/10.1016/j.renene.2019.07.049>.
- [2] Zhou J, Zhao X, Yuan Y, Li J, Yu M, Fan Y. Operational performance of a novel heat pump coupled with mini-channel PV/T and thermal panel in low solar radiation. *Energy Built Environ* 2020;1:50–9. doi:<https://doi.org/10.1016/j.enbenv.2019.08.001>.
- [3] Akhlaghi YG, Ma X, Zhao X, Shittu S, Li J. A statistical model for dew point air cooler based on the multiple polynomial regression approach. *Energy* 2019;181:868–81. doi:[10.1016/j.energy.2019.05.213](https://doi.org/10.1016/j.energy.2019.05.213).
- [4] Akhlaghi YG, Zhao X, Shittu S, Badiei A, Cattaneo MEG V, Ma X. Statistical investigation of a dehumidification system performance using Gaussian process regression. *Energy Build* 2019;202:109406. doi:<https://doi.org/10.1016/j.enbuild.2019.109406>.
- [5] Diallo TMO, Yu M, Zhou J, Zhao X, Shittu S, Li G, et al. Energy performance analysis of a novel solar PVT loop heat pipe employing a microchannel heat pipe evaporator and a PCM triple heat exchanger. *Energy* 2019;167:866–88.
- [6] Fan Y, Zhao X, Li G, Cheng Y, Zhou J, Yu M, et al. Analytical and experimental study of an innovative multiple-throughout-flowing micro-channel-panels-array for a solar-powered rural house space heating system. *Energy* 2019;171:566–80. doi:<https://doi.org/10.1016/j.energy.2019.01.049>.
- [7] Fan Y, Zhao X, Li J, Cheng Y, Badiei A, Zhou J, et al. Operational performance of a novel fast-responsive heat storage/exchanging unit (HSEU) for solar heating systems. *Renew Energy* 2019. doi:<https://doi.org/10.1016/j.renene.2019.11.007>.
- [8] Li G, Diallo TMO, Akhlaghi YG, Shittu S, Zhao X, Ma X, et al. Simulation and experiment on thermal performance of a micro-channel heat pipe under different evaporator temperatures and tilt angles. *Energy* 2019;179:549–57. doi:[10.1016/j.energy.2019.05.040](https://doi.org/10.1016/j.energy.2019.05.040).
- [9] Li G, Shittu S, Ma X, Zhao X. Comparative analysis of thermoelectric elements optimum geometry between Photovoltaic-thermoelectric and solar thermoelectric. *Energy* 2019;171:599–610. doi:[10.1016/j.energy.2019.01.057](https://doi.org/10.1016/j.energy.2019.01.057).
- [10] Li G, Shittu S, Zhou K, Zhao X, Ma X. Preliminary experiment on a novel photovoltaic-thermoelectric system in summer. *Energy* 2019;188:116041. doi:<https://doi.org/10.1016/j.energy.2019.116041>.
- [11] Liu Y, Akhlaghi YG, Zhao X, Li J. Experimental and numerical investigation of a high-efficiency dew-point evaporative cooler. *Energy Build* 2019;197:120–30. doi:<https://doi.org/10.1016/j.enbuild.2019.05.038>.
- [12] Ma X, Zhao H, Zhao X, Li G, Shittu S. Building Integrated Thermoelectric Air Conditioners — A Potentially Fully Environmentally Friendly Solution in Building Services. *Futur Cities Environ* 2019;5:1–13.

- [13] Modjinou M, Ji J, Yuan W, Zhou F, Holliday S, Waqas A, et al. Performance comparison of encapsulated PCM PV/T, microchannel heat pipe PV/T and conventional PV/T systems. *Energy* 2019;166:1249–66.
- [14] Ren X, Li J, Hu M, Pei G, Jiao D, Zhao X, et al. Feasibility of an innovative amorphous silicon photovoltaic/thermal system for medium temperature applications. *Appl Energy* 2019;252:113427.
- [15] Ren X, Yu M, Zhao X, Li J, Zheng S, Chen F, et al. Assessment of the cost reduction potential of a novel loop-heat-pipe solar photovoltaic/thermal system by employing the distributed parameter model. *Energy* 2019;116338. doi:<https://doi.org/10.1016/j.energy.2019.116338>.
- [16] Shittu S, Li G, Akhlaghi YG, Ma X, Zhao X, Ayodele E. Advancements in thermoelectric generators for enhanced hybrid photovoltaic system performance. *Renew Sustain Energy Rev* 2019;109:24–54. doi:[10.1016/j.rser.2019.04.023](https://doi.org/10.1016/j.rser.2019.04.023).
- [17] Shittu S, Li G, Zhao X, Akhlaghi YG, Ma X, Yu M. Comparative study of a concentrated photovoltaic-thermoelectric system with and without flat plate heat pipe. *Energy Convers Manag* 2019;193:1–14. doi:[10.1016/j.enconman.2019.04.055](https://doi.org/10.1016/j.enconman.2019.04.055).
- [18] Shittu S, Li G, Zhao X, Ma X. Series of detail comparison and optimization of thermoelectric element geometry considering the PV effect. *Renew Energy* 2019;130:930–42. doi:[10.1016/j.renene.2018.07.002](https://doi.org/10.1016/j.renene.2018.07.002).
- [19] Shittu S, Li G, Zhao X, Ma X, Akhlaghi YG, Ayodele E. Optimized high performance thermoelectric generator with combined segmented and asymmetrical legs under pulsed heat input power. *J Power Sources* 2019;428:53–66. doi:[10.1016/j.jpowsour.2019.04.099](https://doi.org/10.1016/j.jpowsour.2019.04.099).
- [20] Shittu S, Li G, Zhao X, Ma X, Akhlaghi YG, Ayodele E. High performance and thermal stress analysis of a segmented annular thermoelectric generator. *Energy Convers Manag* 2019;184:180–93. doi:[10.1016/j.enconman.2019.01.064](https://doi.org/10.1016/j.enconman.2019.01.064).
- [21] Wang L, Zhan C, Zhang J, Zhao X. Optimization of the counter-flow heat and mass exchanger for M-Cycle indirect evaporative cooling assisted with entropy analysis. *Energy* 2019;171:1206–16.
- [22] Xuan Q, Li G, Lu Y, Zhao B, Zhao X, Pei G. The design, construction and experimental characterization of a novel concentrating photovoltaic/daylighting window for green building roof. *Energy* 2019. doi:<https://doi.org/10.1016/j.energy.2019.03.135>.
- [23] Xuan Q, Li G, Lu Y, Zhao B, Zhao X, Pei G. Daylighting characteristics and experimental validation of a novel concentrating photovoltaic/daylighting system. *Sol Energy* 2019;186:264–76.
- [24] Xuan Q, Li G, Lu Y, Zhao B, Zhao X, Su Y, et al. Overall detail comparison for a building integrated concentrating photovoltaic/daylighting system. *Energy Build* 2019.
- [25] Xuan Q, Li G, Lu Y, Zhao B, Zhao X, Su Y, et al. Design, optimization and performance analysis of an asymmetric concentrator-PV type window for the building south wall application. *Sol Energy* 2019;193:422–33. doi:<https://doi.org/10.1016/j.solener.2019.09.084>.

- [26] Xuan Q, Li G, Lu Y, Zhao X, Su Y, Ji J, et al. A general optimization strategy for the annual performance enhancement of a solar concentrating system incorporated in the south-facing wall of a building. *Indoor Built Environ* 2019;1420326X19878217. doi:10.1177/1420326X19878217.
- [27] Yu M, Chen F, Zheng S, Zhou J, Zhao X, Wang Z, et al. Experimental Investigation of a Novel Solar Micro-Channel Loop-Heat-Pipe Photovoltaic/Thermal (MC-LHP-PV/T) System for Heat and Power Generation. *Appl Energy* 2019;256:113929. doi:<https://doi.org/10.1016/j.apenergy.2019.113929>.
- [28] Zhang X, Yang J, Fan Y, Zhao X, Yan R, Zhao J, et al. Experimental and analytic study of a hybrid solar/biomass rural heating system. *Energy* 2019;116392. doi:<https://doi.org/10.1016/j.energy.2019.116392>.
- [29] Zhou F, Ji J, Yuan W, Modjinou M, Zhao X. Experimental study and performance prediction of the PCM-antifreeze solar thermal system under cold weather conditions. *Appl Therm Eng* 2019;146:526–39.
- [30] Zhou F, Ji J, Yuan W, Zhao X, Huang S. Study on the PCM flat-plate solar collector system with antifreeze characteristics. *Int J Heat Mass Transf* 2019;129:357–66. doi:<https://doi.org/10.1016/j.ijheatmasstransfer.2018.09.114>.
- [31] Zhou J, Zhu Z, Zhao X, Yuan Y, Fan Y, Myers S. Theoretical and experimental study of a novel solar indirect-expansion heat pump system employing mini channel PV/T and thermal panels. *Renew Energy* 2019. doi:<https://doi.org/10.1016/j.renene.2019.11.054>.
- [32] Bi Y, Yang W, Zhao X. Numerical investigation of a solar/waste energy driven sorption/desorption cycle employing a novel adsorbent bed. *Energy* 2018;149:84–97. doi:<https://doi.org/10.1016/j.energy.2018.02.021>.
- [33] Chang H, Zhang J, Miao Z, Ding Y, Xu X, Zhao X, et al. Suppression of the Smurf1 Expression Inhibits Tumor Progression in Gliomas. *Cell Mol Neurobiol* 2018;38:421–30. doi:10.1007/s10571-017-0485-1.
- [34] Cheng Y, Gao M, Dong J, Jia J, Zhao X, Li G. Investigation on the daylight and overall energy performance of semi-transparent photovoltaic facades in cold climatic regions of China. *Appl Energy* 2018;232:517–26. doi:<https://doi.org/10.1016/j.apenergy.2018.10.006>.
- [35] Diallo MT, Yu M, Zhou J, Zhao X, Ji J, Hardy D. Analytical Investigation of the Heat-Transfer Limits of a Novel Solar Loop-Heat Pipe Employing a Mini-Channel Evaporator. *Energies* 2018;11. doi:10.3390/en11010148.
- [36] Gao X, Yuan Y, Cao X, Wu H, Zhao X, Yan D. Coupled cooling method and application of latent heat thermal energy storage combined with pre-cooling of envelope: Temperature control using phase-change chair. *Sustain Cities Soc* 2018;42:38–51.
- [37] Gao X, Yuan Y, Wu H, Cao X, Zhao X. Coupled cooling method and application of latent heat thermal energy storage combined with pre-cooling of envelope: Optimization of pre-cooling with intermittent mode. *Sustain Cities Soc* 2018;38:370–81. doi:<https://doi.org/10.1016/j.scs.2018.01.014>.

- [38] He S, Zhang Y, Yang W, Zhao X, Zeng B. Fabrication and Frosting Properties Study of Surface-Active Agents Coating Based on Nanoporous Aluminum Substrate. *Energies* 2018;11:2797.
- [39] Li G, Shittu S, Diallo TMO, Yu M, Zhao X, Ji J. A review of solar photovoltaic-thermoelectric hybrid system for electricity generation. *Energy* 2018;158:41–58.
- [40] Li G, Xuan Q, Zhao X, Pei G, Ji J, Su Y. A novel concentrating photovoltaic/daylighting control system: Optical simulation and preliminary experimental analysis. *Appl Energy* 2018;228:1362–72. doi:<https://doi.org/10.1016/j.apenergy.2018.07.024>.
- [41] Li G, Zhao X, Jin Y, Chen X, Ji J, Shittu S. Performance analysis and discussion on the thermoelectric element footprint for PV–TE maximum power generation. *J Electron Mater* 2018;47:5344–51.
- [42] Li G, Zhou K, Song Z, Zhao X, Ji J. Inconsistent phenomenon of thermoelectric load resistance for photovoltaic–thermoelectric module. *Energy Convers Manag* 2018;161:155–61. doi:[10.1016/j.enconman.2018.01.079](https://doi.org/10.1016/j.enconman.2018.01.079).
- [43] Liu Y, Yang X, Li J, Zhao X. Energy savings of hybrid dew-point evaporative cooler and micro-channel separated heat pipe cooling systems for computer data centers. *Energy* 2018;163:629–40. doi:<https://doi.org/10.1016/j.energy.2018.07.172>.
- [44] Tariq R, Zhan C, Ahmed Sheikh N, Zhao X. Thermal Performance Enhancement of a Cross-Flow-Type Maisotsenko Heat and Mass Exchanger Using Various Nanofluids. *Energies* 2018;11:2656.
- [45] Tariq R, Zhan C, Zhao X, Sheikh NA. Numerical study of a regenerative counter flow evaporative cooler using alumina nanoparticles in wet channel. *Energy Build* 2018;169:430–43. doi:[10.1016/J.ENBUILD.2018.03.086](https://doi.org/10.1016/J.ENBUILD.2018.03.086).
- [46] Wang Z, Huang Z, Chen F, Zhao X, Guo P. Experimental investigation of the novel BIPV/T system employing micro-channel flat-plate heat pipes. *Build Serv Eng Res Technol* 2018;0143624418754337. doi:[10.1177/0143624418754337](https://doi.org/10.1177/0143624418754337).
- [47] Wang Z, Huang Z, Zheng S, Zhao X. Solar water heaters. A Compr. Guid. to Sol. Energy Syst., Academic Press; 2018, p. 111–25.
- [48] Yang X, Sun L, Yuan Y, Zhao X, Cao X. Experimental investigation on performance comparison of PV/T-PCM system and PV/T system. *Renew Energy* 2018;119:152–9. doi:<https://doi.org/10.1016/j.renene.2017.11.094>.
- [49] Yu M, Diallo TMO, Zhao X, Zhou J, Du Z, Ji J, et al. Analytical study of impact of the wick's fractal parameters on the heat transfer capacity of a novel micro-channel loop heat pipe. *Energy* 2018;158:746–59.
- [50] Yuan W, Ji J, Li Z, Zhou F, Ren X, Zhao X, et al. Comparison study of the performance of two kinds of photovoltaic/thermal(PV/T) systems and a PV module at high ambient temperature. *Energy* 2018;148:1153–61. doi:<https://doi.org/10.1016/j.energy.2018.01.121>.
- [51] Yuan W, Ji J, Modjinou M, Zhou F, Li Z, Song Z, et al. Numerical simulation and experimental validation of the solar photovoltaic/thermal system with phase change material. *Appl Energy* 2018;232:715–27.

- [52] Zhang X, Yang J, Zhao X. Optimal study of the rural house space heating systems employing the AHP and FCE methods. Energy 2018;150:631–41. doi:<https://doi.org/10.1016/j.energy.2018.03.007>.
- [53] Bi Y, Wang Y, Ma X, Zhao X. Investigation on the Energy Saving Potential of Using a Novel Dew Point Cooling System in Data Centres. Energies 2017;10. doi:10.3390/en10111732.
- [54] Diallo TMO, Zhao X, Dugue A, Bonnamy P, Javier Miguel F, Martinez A, et al. Numerical investigation of the energy performance of an Opaque Ventilated Façade system employing a smart modular heat recovery unit and a latent heat thermal energy system. Appl Energy 2017;205:130–52. doi:<https://doi.org/10.1016/j.apenergy.2017.07.042>.
- [55] Duan Z, Zhao X, Li J. Design, fabrication and performance evaluation of a compact regenerative evaporative cooler: Towards low energy cooling for buildings. Energy 2017;140:506–19. doi:<https://doi.org/10.1016/j.energy.2017.08.110>.
- [56] Duan Z, Zhao X, Zhan C, Dong X, Chen H. Energy saving potential of a counter-flow regenerative evaporative cooler for various climates of China: Experiment-based evaluation. Energy Build 2017;148:199–210. doi:<https://doi.org/10.1016/j.enbuild.2017.04.012>.
- [57] Gao X, Yuan Y, Cao X, Wu H, Zhao X. Coupled cooling method and application of latent heat thermal energy storage combined with pre-cooling of envelope: Sensitivity analysis and optimization. Process Saf Environ Prot 2017;107:438–53. doi:<https://doi.org/10.1016/j.psep.2017.03.005>.
- [58] Qiu Z, Ma X, Li P, Zhao X, Wright A. Micro-encapsulated phase change material (PCM) slurries: Characterization and building applications. Renew Sustain Energy Rev 2017;77:246–62. doi:<https://doi.org/10.1016/j.rser.2017.04.001>.
- [59] Ren G, Zhao X, Zhan C, Jin H, Zhou A. Investigation of the Energy Performance of a Novel Modular Solar Building Envelope. Energies 2017;10. doi:10.3390/en10070880.
- [60] Xu P, Ma X, Zhao X, Fancey K. Experimental investigation of a super performance dew point air cooler. Appl Energy 2017;203:761–77. doi:<https://doi.org/10.1016/j.apenergy.2017.06.095>.
- [61] Yang W, Deng H, Wang Z, Zhao X, He S. Performance Investigation of the Novel Solar-Powered Dehumidification Window for Residential Buildings. Energies 2017;10. doi:10.3390/en10091369.
- [62] Yang W, Wang W, Ding Z, Wang Z, Zhao X, He S. Performance Study of a Novel Solar Solid Dehumidification/Regeneration Bed for Use in Buildings Air Conditioning Systems. Energies 2017;10:1335.
- [63] Zhao X, Kao Y, Niu B, Wu T. Control synthesis of switched systems. Springer; 2017.
- [64] Zhao X, Ma X, Xu P, Thierno D, Zhu Z, Zhou J. Cases of Energy System in a Green Building in UK. Handb Energy Syst Green Build 2017:1–55.
- [65] Zhou J, Zhao X, Ma X, Du Z, Fan Y, Cheng Y, et al. Clear-days operational performance of a hybrid experimental space heating system employing the novel mini-channel solar thermal & PV/T

panels and a heat pump. Sol Energy 2017;155:464–77. doi:<https://doi.org/10.1016/j.solener.2017.06.056>.

- [66] Duan Z, Zhan C, Zhao X, Dong X. Experimental study of a counter-flow regenerative evaporative cooler. Build Environ 2016;104:47–58. doi:<https://doi.org/10.1016/j.buildenv.2016.04.029>.
- [67] Li G, Zhao X, Ji J. Conceptual development of a novel photovoltaic-thermoelectric system and preliminary economic analysis. Energy Convers Manag 2016;126:935–43. doi:[10.1016/j.enconman.2016.08.074](https://doi.org/10.1016/j.enconman.2016.08.074).
- [68] Qiu Z, Ma X, Zhao X, Li P, Ali S. Experimental investigation of the energy performance of a novel Micro-encapsulated Phase Change Material (MPCM) slurry based PV/T system. Appl Energy 2016;165:260–71. doi:<https://doi.org/10.1016/j.apenergy.2015.11.053>.
- [69] Wang Z, Qiu F, Yang W, Zhao X, Mei S. Experimental investigation of the thermal and electrical performance of the heat pipe BIPV/T system with metal wires. Appl Energy 2016;170:314–23. doi:<https://doi.org/10.1016/j.apenergy.2016.02.140>.
- [70] Wang Z, Zhang J, Wang Z, Yang W, Zhao X. Experimental investigation of the performance of the novel HP-BIPV/T system for use in residential buildings. Energy Build 2016;130:295–308. doi:<https://doi.org/10.1016/j.enbuild.2016.08.060>.
- [71] Xia M, Yuan Y, Zhao X, Cao X, Tang Z. Cold storage condensation heat recovery system with a novel composite phase change material. Appl Energy 2016;175:259–68. doi:<https://doi.org/10.1016/j.apenergy.2016.05.001>.
- [72] Xu P, Ma X, Diallo TMO, Zhao X, Fancey K, Li D, et al. Numerical investigation of the energy performance of a guideless irregular heat and mass exchanger with corrugated heat transfer surface for dew point cooling. Energy 2016;109:803–17. doi:<https://doi.org/10.1016/j.energy.2016.05.062>.
- [73] Xu P, Ma X, Zhao X, Fancey KS. Experimental investigation on performance of fabrics for indirect evaporative cooling applications. Build Environ 2016;110:104–14. doi:<https://doi.org/10.1016/j.buildenv.2016.10.003>.
- [74] Zhang X, Shen J, Zhao X, Xu Y, Nibeler B. Comparative Investigation of Solar Photovoltaic (PV) and Photovoltaic/Thermal (PV/T) Systems by both Laboratory and Field Experiments. Renew. Energy Serv. Mank. Vol II, Springer; 2016, p. 673–82.
- [75] Zhang X, Shen J, Zhao X, Xu Y, Nibeler B. Comparative Investigation of Solar Photovoltaic (PV) and Photovoltaic/Thermal (PV/T) Systems by both Laboratory and Field Experiments BT - Renewable Energy in the Service of Mankind Vol II: Selected Topics from the World Renewable Energy Congress WREC 20. In: Sayigh A, editor., Cham: Springer International Publishing; 2016, p. 673–82. doi:10.1007/978-3-319-18215-5_60.
- [76] Zhao X, Afonso C, Ji J. Solar PV/thermal research. Int J Photoenergy 2016;2016.
- [77] Zhou J, Zhao X, Ma X, Qiu Z, Ji J, Du Z, et al. Experimental investigation of a solar driven direct-expansion heat pump system employing the novel PV/micro-channels-evaporator modules. Appl Energy 2016;178:484–95. doi:<https://doi.org/10.1016/j.apenergy.2016.06.063>.

- [78] He W, Hong X, Zhao X, Zhang X, Shen J, Ji J. Operational performance of a novel heat pump assisted solar façade loop-heat-pipe water heating system. *Appl Energy* 2015;146:371–82. doi:<https://doi.org/10.1016/j.apenergy.2015.01.096>.
- [79] He W, Zhang G, Zhang X, Ji J, Li G, Zhao X. Recent development and application of thermoelectric generator and cooler. *Appl Energy* 2015;143:1–25. doi:<https://doi.org/10.1016/j.apenergy.2014.12.075>.
- [80] Qiu Z, Zhao X, Li P, Zhang X, Ali S, Tan J. Theoretical investigation of the energy performance of a novel MPCM (Microencapsulated Phase Change Material) slurry based PV/T module. *Energy* 2015;87:686–98. doi:<https://doi.org/10.1016/j.energy.2015.05.040>.
- [81] Wang Z, Qiu F, Yang W, Zhao X. Applications of solar water heating system with phase change material. *Renew Sustain Energy Rev* 2015;52:645–52.
- [82] Wang Z, Yang W, Qiu F, Zhang X, Zhao X. Solar water heating: From theory, application, marketing and research. *Renew Sustain Energy Rev* 2015;41:68–84. doi:<https://doi.org/10.1016/j.rser.2014.08.026>.
- [83] Xu P, Shen J, Zhang X, He W, Zhao X. Design, fabrication and experimental study of a novel loop-heat-pipe based solar thermal facade water heating system. *7th Int Conf Appl Energy – ICAE2015* 2015;75:566–71. doi:[10.1016/j.egypro.2015.07.456](https://doi.org/10.1016/j.egypro.2015.07.456).
- [84] Xu P, Shen J, Zhang X, Zhao X, Qian Y. Case study of smart meter and in-home display for residential behavior change in Shanghai, China. *Energy Procedia* 2015;75:2694–9.
- [85] Xu P, Zhang X, Shen J, Zhao X, He W, Li D. Parallel experimental study of a novel super-thin thermal absorber based photovoltaic / thermal (PV / T) system against conventional photovoltaic (PV) system. *Energy Reports* 2015;1:30–5. doi:[10.1016/j.egyr.2014.11.002](https://doi.org/10.1016/j.egyr.2014.11.002).
- [86] Yang W, Wang Z, Cui J, Zhu Z, Zhao X. Comparative study of the thermal performance of the novel green (planting) roofs against other existing roofs. *Sustain Cities Soc* 2015;16:1–12.
- [87] Yang W, Wang Z, Zhao X. Experimental investigation of the thermal isolation and evaporative cooling effects of an exposed shallow-water-reserved roof under the sub-tropical climatic condition. *Sustain Cities Soc* 2015;14:293–304.
- [88] Zhang X, Shen J, Adkins D, Yang T, Tang L, Zhao X, et al. The early design stage for building renovation with a novel loop-heat-pipe based solar thermal facade (LHP-STF) heat pump water heating system: Techno-economic analysis in three European climates. *Energy Convers Manag* 2015;106:964–86. doi:<https://doi.org/10.1016/j.enconman.2015.10.034>.
- [89] Zhang X, Shen J, He W, Xu P, Zhao X, Tan J. Comparative study of a novel liquid–vapour separator incorporated gravitational loop heat pipe against the conventional gravitational straight and loop heat pipes – Part I: Conceptual development and theoretical analyses. *Energy Convers Manag* 2015;90:409–26. doi:<https://doi.org/10.1016/j.enconman.2014.11.041>.
- [90] Zhang X, Shen J, Lu Y, He W, Xu P, Zhao X, et al. Active Solar Thermal Facades (ASTFs): from concept, application to research questions. *Renew Sustain Energy Rev* 2015;50:32–63.

- [91] He W, Hong X, Zhao X, Zhang X, Shen J, Ji J. Theoretical investigation of the thermal performance of a novel solar loop-heat-pipe facade-based heat pump water heating system. *Energy Build* 2014;77:180–91.
- [92] Liu X, Liu H, Zhang X, Zhao X. Transmission network expansion planning by improved simulated annealing approach. *Sop Trans Power Transm Smart Grid* 2014;1:1–8.
- [93] Liu X, Zhang X, Zhao X, Liu H. Damping control for power system based on state observer. *SOP Trans Power Transm Smart Grid* 2014;1:9–19.
- [94] Lu L, Zhang X, Yan Y, Li J-M, Zhao X. Theoretical Analysis of Natural-Gas Leakage in Urban Mediumpressure Pipelines. *J Environ Hum* 2014;1:71–86.
- [95] Zhang X, Shen J, Xu P, Zhao X, Xu Y. Socio-economic performance of a novel solar photovoltaic/loop-heat-pipe heat pump water heating system in three different climatic regions. *Appl Energy* 2014;135:20–34.
- [96] Zhang X, Shen J, Zhao X, Xu Y. Investigation of a Pilot-scale Photovoltaic/Thermal System and its Opportunities for Future Development. *Open J Renew Energy Sustain Dev* 2014;1:24–34.
- [97] Zhang X, Shen J, Zhao X, Xu Y, Nibeler B. Investigation of a novel thermal absorber for retrofit of commercial photovoltaic panels. *EuroSun Int. Conf. Sol. Energy Build.* 16th-19th Sept. 2014, Aix-les-Bains, Fr., 2014.
- [98] Zhang X, Shen J, Zhao X, Xu Y, Nibeler B. Comparative Investigation of Solar Photovoltaic (PV) and Photovoltaic/thermal (PV/T) Systems. *World Renew. energy Congr. 13-WREC XIII*, 3-8 August, 2014, Univ. Kingston, UK, 2014.
- [99] Zhang X, Shen J, Zhao X, Xu Y, Nibeler B. A Pilot-scale Demonstration of a Novel Solar Photovoltaic/thermal (PV/T) System and its Scenarios for Future Development. *2nd Int. Symp. Energy Challenges Mech.* 19th-21th August 2014, Aberdeen, Scotland, UK, 2014.
- [100] Zhang X, Zhao X, Shen J, Xu J, Yu X. Dynamic performance of a novel solar photovoltaic/loop-heat-pipe heat pump system. *Appl Energy* 2014;114:335–52. doi:<https://doi.org/10.1016/j.apenergy.2013.09.063>.